THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general J. G. Jenkins, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of June, 1895-1900.

	,																	
Years	1895.	1896.	1897.	1898.	1899.	Average of Five					1	900.						Total for
*Population, June 1st	347,787	351,138	352,239	356,512	361,785	Years.										1900.		
Births	904	998	795	816	857	874	862									4,750		
Rate per cent	.260	.284	.226	-229	.237	_					-2	36			_			
Deaths -							All Ages.	Under 1 year.	land under 5.	band under 20	20 and under 40.	se and under 60.	60 and under 80.	80 and upwards.	Not htate::	+Coroners'	#Uncerti- fied causes of Death.	
All causes	244	377	366	361	376	345	271	36	18	29	43	51	64	30	_	25	8	1,878
Rate per cent	.070	·107	104	•101	104	_	.074	_				_	_	_	-	_	-	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 12. Constitutional 2. Developmental 2. VI. Local 2. VII. Violence 3. VII. Ill-defined and not specified	23 1 50 29 114 14	48 	25 2 3 55 54 190 24	36 1 5 58 56 176 13	50 2 5 4 37 147 56		18 2 54 34 144 9	4 - - 8 16	2 - 2 - 13	3 - 8 - 16 2	5 1 	1 - 11 - 34 5	3 - 8 5 46 1	1 - 3 21 5				
causes	13	31	13	16	26	-	10	8	1			-	1	_	-1			

^{*}The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of June. 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
·			-			Diseases of locomotive sys-		
easles	-	-	V.			tem	1	2
arlet fever	1	-	Premature birth	6	- !	Diseases of integumentary		
lapsing fever	-		Cyanosis	_	-	system	_	-
luenza	-	3	Congenital defects,	2	- 11	VII.		
hooping-cough	1	- 1	Old age	-	26	(Accident.)		
ohtheria	-	1	V1.			Fracture and contusion	_	6
aple and ill-defined fever	-	- !	Apoplexy	-	12 -	Gunshot wound		-
teric fever	-	6	Epilepsy	-	2	Cut, stab	_	_
aple cholera	1	_	Convulsions	2		Burn and scald		1
arrhœa, dysentery	1	2	Other diseases of brain and			Poison	_	-
mittent fever	_		nervous system	_	14	Drowning		1
nereal affections	1		Diseases of organs of special			Suffocation		_
vsipelas	_	_	sense	-	_	Otherwise	-	-
emia and septicemia	_		Diseases of circulatory sys-			(Homicide.)		
erperal fever	_	_	tem	1	32	Murder and manslaughter		_
ner zymotic diseases	_	2	Croup	_	1	(Suicide.)		
II.			Bronchitis	5	9	Gunshot wound		_
rush	_	_	Pneumonia	_	18	Cut, stab	_	1
rms and other parasitical			Pleurisy			Poison		_
		2	Other diseases of respiratory			Drowning		
iseases	-	2			3	Hanging		_
vation—want of breast milk			system Dentition		1	Otherwise		
	-	-			_	(Execution.)		
holism	-	-	Quinsy, sore throat	4	4	Hanging		
IV.			Enteritis		4	HangingVIII.		
eumatic fever and rheuma-			Peritonitis	1	3			
sm of heart	-	3	Diseases of liver	1	0	Dropsy	7	1
eumatism	_	-	Other diseases of digestive	0	-	Debility, atrophy, inanition		L
ıt	-	1	system	2	5	Mortification	_	_
cer, malignant disease	-	10	Diseases of lymphatic sys-			Tumor		_
es mesenterica	-	-	tem and of ductless glands	_	1	Abscess	1	-
ercular meningitis		1	Diseases of urinary system	_	11	Hæmorrhage	_	_
hisis	-	28	Diseases of generative sys-			Sudden, cause unascertained	-	
ofula, tuberculosis	_	5	tem	-	2	Other ill-defined and not		
er constitutional diseases	_	6	Accidents of childbirth		4	specified causes	-	1

Return of Births and Deaths registered in the City of Adelaide in the Month of June, 1895-1900.

Years	1895.	1896.	1897.	1898	1899.	Average of Five Years.					1	900.						Total for
Population, Jan. 1st	40,167	40,406	40,384	40,475	40,637	rears.	41,005									1900.		
Births	84	92	97	85	106	93												
Rate per cent	-209	•228	•240	•210	·261 — ·207													
Deaths—		1.					All Ages.	Under l year.	l and under 6.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	65	79	99	87	73	81	56	5	5	6	7	15	14	4	-	3	_	402
Rate per cent	`162	·196	•245	.215	•180	- 10	·137	107	_			41.		_		_	-	
Diseases— 1. Specific Febrile or Zymotic . 11. Parasitic 11. Dietic 11. Constitutional . 11. Local 11. Violence 11. Ill-defined and not specified causes	8 -1 14 7 31 1	9 	7 1 	8 1 2 18 13 36 4	5 ————————————————————————————————————		3 2 -11 6 29 2		- - 1 - 3 -	1 - 1 - 3 1	1 1 4 - 1	- 1 - 3 - 10 1	1 - 2 2 2 9	4				

^{*} Including inquests.

Causes of Deaths registered in the Month of June, 1900.

				1	1			,
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above
I.			7			Accidents of childbirth	_	1
Measles		-	Scrofula, tuberculosis	_	1	Diseases of locomotive system	1	2
Scarlet fever		-	Other constitutional diseases	_		Diseases of integumentary		
Relapsing fever	1000					system	-	_
Influenza	-	1	V.			VII (Assidant)		
Whooping-cough	10 TT 10		Premature birth	_	_	VII. (Accident.) Fracture and contusion		2
Diphtheria	_		Congenital defects			Gunshot wound		2
Enteric fever			Old age	200	6	Cut, stab		_
Simple cholera		_				Burn and scald	_	_
Diarrhœa, dysentery	_		VI.			Poison	_	-
Remittent fever		_	Apoplexy		4	Drowning	-	_
Venereal affections	-	-	Epilepsy		_	Suffocation	-	_
Erysipelas	100	_	Convulsions	_	_	Otherwise	-	-
Pyæmia and septicæmia	70.5		Other diseases of brain and		1	(Homicide.) Murder and manslaughter		
Puerperal fever	_	2	nervous system Diseases of organs of special		1	(Suicide.)	_	
Other zymotic diseases		2	sense			Gunshot wound	_	_
II.			Diseases of circulatory system		9	Cut, stab	_	_
Thrush	_		Croup	_		Poison		_
Worms and other parasitical			Bronchitis	1	-	Drowning	-	_
diseases	_	2	Pneumonia	_	1	Hanging	_	_
TTT			Pleurisy	_	_	Otherwise	-	_
III. Privation—want of breast milk			Other diseases of respiratory			(Execution)		
Alcoholism	_	_	system		1	Hanging	_	_
Alcoholism	_		Quinsy, sore throat		_	VIII.		
IV.			Enteritis		1	Dropsy	_	_
Rheumatic fever and rheuma-			Peritonitis	_	_	Debility, atrophy, inanition	2	1
tism of heart	_	_	Diseases of liver	1	1	Mortification	_	_
Rheumatism	_	_	Other diseases of digestive			Tumor	_	-
Gout	_	1	system	_	2	Abscess	_	
Cancer, malignant disease	_	_	Diseases of lymphatic sys-			Hæmorrhage	_	
Tabes mesenterica		1	tem and of ductless glands	-	3	Sudden, cause unascertained Other ill-defined and not	_	77
Tubercular meningitis Phthisis	_	8	Diseases of urinary system Diseases of generative system	_	0	specified causes	_	
T IIUIIADID			Discusses of generalives ystem			Spoothed olders		

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of June, 1900.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	41,005	6,164	7,164	8,826	10,239	3,657	4,955
Persons to an acre	11.3	10.8	10.9	16.0	14.3	7.6	7.6
Births Male Female	85 42 43	9 3 6	12 8 4	17 7 10	26 14 12	12 4 8	9 6 3
Deaths	45 26 19	5 2	3 2 1	6 4 2	13 6 7	3 1 2	13 8 5
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	1 10 6 25 3	1 2 4	- - 1 - 2 -				3 2 6 - 2
Percentage of Deaths to population of each Ward	•110	•114	.042	-068	·127	.082	•262

Causes of Deaths registered in the Month of June, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		7	Accidents of childbirth		1
Measles	_	_	Scrofula, tuberculosis	_	1	Diseases of locomotive system	1	2
Scarlet fever			Other constitutional diseases.	_	-	Diseases of integumentary		
Relapsing fever	_					system	_	-
Influenza	_		V.			VII.		1
Whooping-cough	_		Premature birth	_	_	(Accident.)		
Diphtheria	_	_	Cyanosis	_		Fracture and contusion		2
Simple and ill-defined fever	_	_	Congenital defects	_	_	Gunshot wound	_	2
Enteric fever	_		Old age	-	6		_	
Simple cholera	-					Cut, stab	_	_
Diarrhœa, dysentery	_	_	VI.			Poison	_	_
Remittent fever	_	_	Apoplexy	-	3	Drowning		
Venereal affections	_	_	Epilepsy	-	_	Suffocation	_	
Erysipelas	_	_	Convulsions	_	_	Otherwise	_	
Pyæmia and septicæmia	_	_	Other diseases of brain and			(Homicide.)		
Puerperal fever	_	_	nervous system	-	_	Murder and manslaughter		
Other zymotic diseases	_	_	Diseases of organs of special			(Suicide.)		
other zymone discuses *****			sense	-	_	Gunshot wound	_	
II.			Diseases of circulatory system	_	8	Cut, stab		
Thrush	_	_	Croup	-	_	Poison	_	
Worms and other parasitical			Bronchitis	1	_	Drowning	_	
diseases	_	1	Pneumonia	-	1	Hanging		
discusors ***********************************			Pleurisy	-	-	Otherwise	_	_
III.			Other diseases of respiratory			(Execution)		
Privation — Want of breast			system	-	-	Hanging	_	-
milk	_	_	Dentition	-	1			
Alcoholism	_	_	Quinsy, sore throat	-	_	VIII.		
alcoholism ************************************			Enteritis	-	_	Dropsy	-	-
IV.			Peritonitis	-	_	Debility, atrophy, inanition	2	1
Rheumatic fever and rheu-			Diseases of liver	. 1	1	Mortification	-	
matism of heart	_	_	Other diseases of digestive			Tumor	-	-
Rheumatism	_	_	system	-	2	Abscess	-	-
Gout	_	1	Diseases of lymphatic system			Hæmorrhage		-
Cancer, malignant disease	_	_	and of ductless glands	_	-	Sudden, cause unascertained.	-	-
Tabes mesenterica	_	_	Diseases of urinary system	-	3	Other ill-defined and not spe-		
Tubercular meningitis	_	1	Diseases of generative system	_	_	cified causes	-	-

JUNE, 1900.

The highest temperature in the shade at the Adelaide Observatory during the month was 66°0 on the 3rd and 4th: and the lowest, 37°6, on the 8th. The mean temperature of the month was 52°9.

The greatest range of the thermometer in one day, 24°0, took place on the 11th, viz., from a maximum of 62°4 to a minimum of 38°4; the lowest range, 4°3, on the 1st.

The mean height of the barometer was 29.862 inches; the maximum, 30.330 inches, occurred on the 6th; and the minimum, 29.100 inches on the 23rd.

Observatory, Adelaide, July 6th, 1900.

C. Todd, Observer.

Births and Deaths registered in the undermentioned Corporate Towns in the Quarter ended June~30th,~1900.

	Estimated		tered du Quarter		The Deaths registered in the Quarter include Deaths from—											
Corporate Towns.	Population		Deaths.					1			Diseases of		Diseases of			
	Jan. 1st, 1900	Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria.	Whooping Cough.	Fover	Diarrhœa and Dysentery.	Respira- tory System.	Phthisis.	Circula- tory System.			
Adelaide	41,005	274	167 24	26		_	_	_	5	2	12	20	22			
findmarsh	9,770 $4,718$	74 40	10	4			_	_	_	1	1	1				
Thebarton	5,609	47	20	2			_				2	3	2			
Semaphore	8,469	58	20	1	_			_			_	3	2			
Renelg	4,112	20	5	1						_			2			
Brighton	978	6	3	1							_		1			
Jnley	13,746	112	43	10	_		1		-	2	5	6	5			
t. Peters	6,725	32	22	7	_		-	_	_	_	2	3	5			
Kensington and Norwood	13,693	83	29	4	_	_			_	2	1	3	3			
Fawler	2,352	14	9	4	_					2	1	_	-			
Kapunda	2,266	22	2	1						_	-	_	-			
Burra	2,661	24	9	3		-	-		_	_	1	. —	1			
lare	1,087	8	2	_	-	_		_	_	1		_	1			
amestown	1,271	10	5		-		-		3	_	_	_	_			
ort Augusta	1,566	9	3	1	_	_	_	-	_	-	2	_	_			
ort Pirie	8,000	80	35 8	22		_			2	8	4	1	2			
Kadina	1,865	17			1 -	-	_	_	_		1	1	1			
Ioonta	1,771	15	4 8	2			_		1	2	1	1	_			
Vallaroo	2,014	32 7	4		_	-	_	-	1		1	1	1			
Goolwa	769 941	12	6						_	1	1	1	1			
Strathalbyn	3,069	28	14	4			_		1	1	1	1	3			
Mount Gambier	2,130	12	6	2					1	_	2	1	3			

^{*} Exclusive of the additions to its area made since the census.

GEO. H. AYLIFFE, Registrar-General.